

# **PRF Silicon Oil**

supplied by

### **Taerosol Oy**

Aakkulantie 21, 36220 Kangasala, Finland

has been registered by InS Services



#### **Incidental Food Contact**

This product is acceptable as a lubricant, anti rust film or release agent with incidental food contact for use in and around food processing areas in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect.

Date: 5 May 2010

InS Services (UK) Ltd.



## **PRF Teflube**

supplied by

### **Taerosol Oy**

Aakkulantie 21, 36220 Kangasala, Finland

has been registered by InS Services



#### **Incidental Food Contact**

This product is acceptable as a lubricant, anti rust film or release agent with incidental food contact for use in and around food processing areas in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect.

Signed: A

.

Date: 5 May 2010

InS Services (UK) Ltd. w



# PRF® Food Grade Oil

supplied by

### **Taerosol Oy**

Aakkulantie 21, 36220 Kangasala, Finland

has been registered by InS Services



#### **Incidental Food Contact**

This product is acceptable as a lubricant, anti rust film or release agent with incidental food contact for use in and around food processing areas in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect.

Signed:

Date: 11 May 2010

InS Services (UK) Ltd.



# PRF® Food Grade Grease

supplied by

### **Taerosol Oy**

Aakkulantie 21, 36220 Kangasala, Finland

has been registered by InS Services



#### **Incidental Food Contact**

This product is acceptable as a lubricant, anti rust film or release agent with incidental food contact for use in and around food processing areas in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect.

Date: 11 May 2010

InS Services (UK) Ltd.